

IMPORTANT NOTICE REGARDING YOUR AEROVENT FILTERS!

THESE FILTERS ARE BEING DISCONTINUED AND WILL BE SUPERCEDED BY A NEWER MODEL!

Discontinued Part Numbers: 10001940, 10001941, & 10001860



The AeroVent filter assembly (shown above) that you are currently using has been discontinued. By **January 31st, 2018**, the replacement filter cartridges for that assembly will also no longer be available. The new and improved, 50 state compliant Safe2Vent Filter Assembly is the direct replacement for your old filter assembly. See attached data sheet for details.

There are 2 different Safe2Vent Filter Assemblies available: one for single can puncturing machines (including the AeroVent 1) and one for the three can puncturing AeroVent 3. **A complete filter assembly (part number 10004701 or 10004722) must be purchased before the replacement cartridges (part numbers 10004702 and 10004703) can be used.**

Please refer to the below tables to determine which assembly is right for your unit:



*Both the single can machines and three can machine used part number 10001940, but the new replacement filter assembly is different for each machine.

	Safe2Vent Complete Filter Assemblies		Safe2Vent Replacement Filter Cartridges	
Description	Safe2Vent Carbon Filter Complete Assembly	Safe2Vent Dual Carbon Filter Complete Assembly	1 Pack of Safe2Vent Replacement Carbon Filter Cartridge	2 Pack of Safe2Vent Replacement Carbon Filter Cartridge
Part Number	10004701	10004722	10004702	10004703
Replaces Part Number*	10001940*	10001940*	10001941	10001860
COMPATIBILITY CHART:				
AeroVent 1 (Single can puncturing machine)	●		●	●
All other single can puncturing machines	●		●	●
AeroVent 3 (three can puncturing machine)		●		●

WARNING: Because of the very high flow rate caused by puncturing 3 cans at once, the 10004722 dual filter assembly must be used with the AeroVent 3 three can puncturing unit!!!

For more information, please contact you dealer, or contact the manufacturer at 1-800-624-7786



Highest Safety Standards

The Safe2Vent™ drum vent filter is compliant in all 50 states and conforms to OSHA, EPA and California regulations.

Our exclusive bouncing Viz-a-Ball™ tells the operator when the can is completely depressurized and safe to remove.

The Safe2Vent™ has the highest flow rate available, minimizing the potential for over pressurization of the drum during operation.

Our coalescing element traps liquids before they reach the carbon media, extending filter life.

Plus, Safe2Vent™ activated carbon filter adsorbs more VOC's and harmful vapors.

The Safe2Vent™ filter's cellulose cartridge is 96% biodegradable, may be recycled more easily and decomposes naturally. Other drum vent filters that are plastic encased can require more extensive recycling processes.

Product Overview

The Safe2Vent™ drum vent filter is compatible with all manual, single aerosol can disposal systems. The new revolutionary design includes the only indicator check valve available. The Viz-a-Ball™ keeps the operator safe by indicating when the system is completely depressurized and is safe to open. Plus, Viz-a-Ball™ acts as a check valve to seal the drum when not processing cans.

Saves you Money

With additional carbon media, replaceable cartridges, and a lower price than competitors, the Safe2Vent™ is more cost effective than any other drum vent filter. They are:

1. Fully replaceable. Just remove the filter cartridge from the reusable base and replace with the new cartridge.
2. Longer lasting. Has more filter media than any other filter available.
3. More effective. The integral coalescing element traps

Specifications

Item Name	Safe2Vent™ Drum Vent Filter
Application	Filter for aerosol can disposal and recycling systems
Type	Single Unit
Compliance	Compliant in all 50 states and conforms to OSHA, EPA
Composition	Filter Housing: Cellulose
Dimensions	Single unit: 10" H x 4" W x 13" L
Filter Life	Single unit: Every 600 cans or 90 days
Shipping weight	3-8 lbs
Includes	Safe2Vent™ Drum Vent Filter, reusable filter base

Reduce the cost of Hazardous waste



Product Features



Universal Design: The Safe2Vent™ drum vent filter is compatible with all manual, single can aerosol can disposal systems. The reusable base is made to fit the 3/4 inch opening on any steel drum. Our dual Safe2Vent™ filters are designed for units processing high volumes of aerosol cans or multi-can disposal systems such as the AeroVent 3X®.



Exclusive Viz-a-Ball™ Indicator Check Valve: This revolutionary design serves two essential functions. First, it keeps the operator safe by indicating when the system is completely depressurized and can be opened. Second, the ball check valve complies with OSHA, EPA and California regulations requiring the drum to be closed and prevent vapors from escaping into the atmosphere after processing. The Safe2Vent™ is the only drum vent filter that includes this important safety feature.



Environmentally Friendly: It's cellulose construction is 96% biodegradable, may be recycled more easily, and decomposes naturally. Other drum vent filters that are plastic encased may require more extensive recycling or disposal processes. Safe2Vent™ contains more carbon media than any other filter available and last longer. Plus, each replaceable filter includes the coalescing element for convenient and safe handling.



Compliant in all 50 states: Unlike many drum filters, the Safe2Vent™ is compliant in all 50 states and conforms to OSHA, EPA and California SB1158 regulations.