



Product Manual

DirtDoctor™ Finishing Brush

10003680



Proudly Made in the USA
newstripe.com • 303-364-7786

DirtDoctor™ Finishing Brush

TABLE OF CONTENTS

Precautionary Warnings	Page 1
Assembly	Page 2
Operation	Page 3
Maintenance	Page 3
Troubleshooting Guide	Page 3
Parts List.....	Page 4
Warranty.....	Page 5

Congratulations on your purchase of the Newstripe DirtDoctor Finishing Brush.

Please read over these instructions and make sure you understand the operating procedures for use with your DirtDoctor.

DirtDoctor™ Finishing Brush



PRECAUTIONARY WARNINGS

- Please read and understand all operation instructions as detailed in this manual. Failure to follow specified instructions may result in equipment damage or severe injury to personnel, up to and including death.
- **CAUTION:** When transporting the DirtDoctor, make sure that the finishing brush is in the full up and locked position.
- **NEVER** place your hands or any body parts in front of the equipment or within the frame area while operating.
- **NEVER** allow anyone to ride on the DirtDoctor while it is being operated or towed. This may result in severe injury or death.
- **ALWAYS** consult your Facility Safety and/or Personnel Department for specified safety protocols prior to operating this equipment.

DirtDoctor™ Finishing Brush


ASSEMBLY

1. The finishing brush has left and right side mounting brackets that have the brush arms already installed. Place each bracket in the back of the DirtDoctor frame as shown, and then secure them with the provided 5/8 x 2" bolts, flat washers, and nylock nuts.

Note: Do not fully tighten the nuts that hold the arms on the mounting brackets. The arms should rotate freely, but not have any side play.

2. After mounting the bracket and arm assemblies, rotate the arms upward enough to get the brush retainer assembly under them. Align the holes in the arms with the studs in the brush retainer. Secure the brush retainer onto the arms with the provided 5/16" flat washers and 5/16" nylock nuts.

Assembly Step 1



Assembly Step 2



DirtDoctor™ Finishing Brush

OPERATION

1. When you are ready to make your finishing passes, stop and then grab one of the handles on the brush retainer to lower the brush to the ground. You may now complete your finishing passes.

2. When you are finished making your finishing passes, stop and raise the brush before transporting.

Note: The finishing brush is meant to only be used in the forward direction. Stop and raise the brush before switching direction or damage may occur.

MAINTENANCE

ITEM	CHECK	MAINTENANCE ACTION
Arms	Before Each Use	Lubricate Arm Pivot Points Weekly with Light Machine Oil.
Brush Segments	Before Each Use	Replace Brush Segments if Worn.

TROUBLESHOOTING GUIDE


PROBLEM	REMEDY
The finishing brush is producing uneven results.	1) Ensure that the ripper blades are not engaged, and that the roller is in full contact with the ground. 2) Inspect the brush segments to insure that they are not worn or broken.
The brush will not stay in the up position during normal operation when not finishing.	1) Inspect the ball & spring plungers for damaged or stuck balls. Clean and lubricate with dry lubricant or replace if necessary.

DirtDoctor™ Finishing Brush

PARTS LIST

Item	Description	Part Number
#1	Left Side Mounting Bracket	10002678
#2	Right Side Mounting Bracket	10002679
#3	Brush Arms (2 Required)	10002671
#4	Brush Retainer	10002680

Item	Description	Part Number
#5	Ball & Spring Plunger (2 Required)	10001680
#6	18" Brush Segment	10002638
#7	24" Brush Segment (2 Required)	10003333



Your machine is designed to be simple and safe to operate.
 Please call Newstripe at 303-364-7786 if you have any questions.

DirtDoctor™ Finishing Brush

10003680

18 Month Warranty

Newstripe, Inc. ("Newstripe") warrants to the original purchaser, for 18 (Eighteen) Months after date of purchase, that the equipment* hereby sold shall be free of defects in materials and workmanship. This warranty does not extend to any damage or malfunction resulting in misuse, neglect, accident, improper operation, or normal wear and tear.

* Gasoline engines, compressors, low pressure pumps, and transaxles are furnished with their respective manufacturers' warranties only and are not covered by any warranty of Newstripe. High pressure pumps manufactured by Newstripe (excluding wear items like diaphragms and valves) are warranted for materials and workmanship for 12 Months after the date of purchase.

Damage incurred in shipment from Newstripe to the purchaser is the total responsibility of the shipping carrier. The purchaser is responsible for noting any damages on the Bill of Lading of the shipping carrier and Newstripe will work with the shipping carrier to resolve any damages incurred.

The Newstripe obligation under this warranty and any implied warranties is limited to replacement or repair of defective parts of its manufacture without charge for 18 (Eighteen) Months from date of purchase. For service under this warranty, the purchaser shall obtain an approved Return Materials Authorization (RMA) from Newstripe and then ship the defective part or parts of the equipment, transportation prepaid by the purchaser, to Newstripe together with a written description of any claimed defect and proof of purchase date of the materials being returned. To review Newstripe's complete guidelines for warranty claims and returns, please visit our website at www.newstripe.com.

The responsibilities described above are the only responsibilities of Newstripe under this written warranty or any implied warranty and may be exercised only within 18 (Eighteen) Months from the date of original purchase. In no event shall Newstripe be liable for incidental or consequential damages and no person had any authority to bind it to any representation or warranty. Newstripe is not responsible for work done, materials furnished, or repairs made by others without its specific written authorization.

This warranty shall be in lieu of any and all other warranties, expressed or implied, including any warranties of merchantability or fitness for a particular purpose, and there is no other representation or warranty of any kind with respect to the goods sold hereby except as set forth herein. It is expressly agreed that this warranty shall be limited to the adjustment, repair or replacement of parts and the labor and services required thereby. In no event, including any claim of negligence, shall Newstripe be liable for incidental or consequential damages.



newstripe.com / 303-364-7786