



Product Manual

Curb Painting Kit

For Newstripe 4250, 4400, & 4600 SP Striping Machines

10005105



Proudly Made in the USA
Newstripe.com • 303-364-7786

5105.0825

Curb Painting Kit For Newstripe Airless Stripping Machines



PRECAUTIONARY WARNINGS

- **PLEASE** read and understand all operation instructions as detailed in this manual. Failure to follow specified instructions may result in equipment damage or severe injury to personnel.
- **CAUTION:** High pressure spray can inject toxins into blood stream. If injection occurs, seek emergency medical treatment. Keep away from high pressure spray.
- **ALWAYS** relieve the pressure on the system turning the prime/spray valve knob on the pump to the recirculate position  before performing any maintenance or assembly of parts on the airless spray system. Failure to follow this may result in personal injury.
- **ALWAYS** consult your Facility Safety and/or Personnel Department for specified safety protocols prior to operating this equipment.

Installation


1. Disconnect the paint hose from the airless spray gun and then remove it from the gun mount on the machine.
2. Remove the existing spray tip guard from the spray gun and replace it with the provided spray gun swivel head. (Pic 1 & 2)



3. Install the provided new spray tip guard on the spray gun swivel head. You may save your old spray tip guard for a spare. Install your spray tip in the tip guard. (Pic 3)



4. Remove the spray gun mount from the support arm. (Pic 4)



Curb Painting Kit For Newstripe Airless Striping Machines

ASSEMBLY CONTINUED

5. Loosen the star knobs on the front of the chassis and remove the support arm and spray shields.



6. Install the provided curb painting support arm in the receiver tube of the chassis so that the left end of it is flush with the left end of the receiver and then tighten the two star knobs to secure it.



7. Place the spray gun back in the gun mount and secure it with the gun mount clamp.

8. Install the gun mount on the curb painting support arm as shown below. If the desired spray height and angle is not achievable with this configuration, follow the procedure in step 9.



9. Remove the gun mount from the support arm and then replace it with the provided 90 degree adapter. Reinstall the gun mount on the 90 degree adapter as shown below and then adjust the spray gun swivel head to achieve the desired results.




Curb Painting Kit For Newstripe Airless Stripping Machines

PARTS LIST

Item	Description	Part Number
#1	Curb Painting Gun Support Arm	10004963
#2	90 Degree Adapter	10004964

Item	Description	Part Number
#3	Spray Gun Swivel Head	10005136
#4	$\frac{5}{16}$ -18 x $\frac{3}{4}$ " Star Knob	10003377



Newstripe.com / 303-364-7786